



Features

I Feel / Follow me, Breeze away, Smart Air Flow, ECO, Super EMC performance, Self-diagnostic, Intelligent defrosting, Self-Cleaning Function, Anti-fungus Function, Anti-Rust Cabinet, Independent Dehumidification mode, Super Quiet Design, Low-noise airflow, Turbo mode, Auto mode, Sleep Mode, Fault Code Indication, Auto restart, Timer, 4-Fan Speed, Five-speed outdoor fan, Low-Temperature Heating/Cooling, Honeycomb FILTER, Washable filter, 1W Standby, Dual side Drainage, Wide Voltage Range Start-up, 56°C sterilization, Refrigerant Leakage Detection, Remote control, Louver position memory function, Hidden led display, Display ON/OFF, Comfortable Cooling, Strong Cooling at 60°C, Rapid Cooling and Rapid Heating, RC holder, Smarter design louver, Easy cleaning, Hydrophilic Aluminum Fin, Backup Switch, Multi Fan Speed, I-clean, Intelligent on-off, Top plate/cover improved, Auto Swing Louver, Anti-Cold Air, Wi-Fi

Capacity		9000BTU	
Rated volt and frequency	V/Hz	220-240V~/50HZ	
Mode		Cooling	Heating
Rated capacity	W	2600(600-3100)	2610(800-3400)
Power input	W	850(100-1600)	630(300-1600)
Current input	A	4.0-9-6.9)	3.0(1.3-6.9)
SEER / Energy Class		6,1/A++	/
SCOP / Energy Class - average		/	4/A+
SCOP / Energy Class - warmer		/	5,1/A+++
Operating range (°C)	°C	16-49	-15-30
Energy consumption (per year, based on standard test results)	kWh	150	/
Energy consumption (per year, based on standard test results) - average	kWh	/	735
Energy consumption (per year, based on standard test results) - warmer	kWh	/	632
Dehumidifying	Kg/h	1	
Degree of protection (IN) / (OUT)	(IP)	IPX0/IPX4	
Class of electric protection (IN) / (OUT)	Class I / Class II	I/I	
Max. input consumption	W	1600	
Max. current	A	8,5	
Compressor	Model	KSN89D28UE4A31	
	Type	Rotary	
	Brand	GMCC	
Indoor	Indoor Air Circulation	m ³ /h	500
	Indoor Noise Level dB	dB(A)	36/40/45/48/52
	Net Dimension	mm	690×283×199
	Packing Dimension	mm	760×347×277
	Net Weight / Gross Weight	Kg	7/9
Outdoor	Outdoor Noise Level dB	dB(A)	59
	Net Dimension	mm	649×450×232
	Packing Dimension	mm	760×510×315
	Net Weight / Gross Weight	Kg	18,5/21
	Refrigerant Type		R32
	Refrigerant Weight	Kg	0,46
	GWP		675
	tCO ₂ eq.		0,31
	Max. Discharge / Max. Suction pressure	Mpa	4.3/2.5
Refrigerant piping	Liquid side / Gas side / Length	mm	Dg4/Dg8(1/4-3/8)
	Max. refrigerant pipe length / Max. difference in level	m	20/10