



Features

I Feel / Follow me, Breeze away, ECO, Self-diagnostic, Intelligent defrosting, Intelligent dusting switch, Anti-Rust Cabinet, Independent Dehumidification mode, Super Quiet Design, Low-noise airflow, Turbo mode, Auto mode, Sleep Mode, Fault Code Indication, Emergency button, Auto restart, Timer Auto turn off/of, Five-speed outdoor fan motor, Golden fin, Mono & multi compatibility, 8°C heating feature, Low-Temperature Heating/Cooling, Washable filter, High-density filter, Cold-catalyst filter, Low ambient kit, 1W Standby, Dual side Drainage, Stability Protection, 3D Air Flow, 56°C sterilization, Refrigerant Leakage Detect, Remote control, Louver position memory function, Horizontal louver auto-swing, Hidden led display, Display ON/OFF, Rapid Cooling, and Rapid Heating, RC holder, Hydrophilic Aluminum Fin, Backup Switch, Multi Fan Speed, I-clean, Intelligent on-off, Auto Swing Louver function, Anti-Cold Air, Wi-Fi

Capacity		12000BTU	
Rated volt and frequency		220-240V~/50HZ	
Mode	V/Hz	Cooling	Heating
Rated capacity		12000(3000~16200)	13000(2700~22200)
Power input	W	879(60~1590)	929(130~2195)
Current input	W	3.81(0.3~7.0)	4.03(0.6~9.5)
SEER-/ Energy Class	A	8,5/A+++	/
SCOP/ Energy Class - average		/	4,6/A++
SCOP/ Energy Class - warmer		/	5,9/A+++
Operating range		15-50	-20-24
Energy consumption (per year, based on standard test results)	°C	144	/
Energy consumption (per year, based on standard test results) - average	kWh	/	791
Energy consumption (per year, based on standard test results) - warmer	kWh	/	570
Dehumidifying	Kg/h	1,7	
Degree of protection (IN) / (OUT)	(IP)	IPX0/IPX4	
Class of electric protection (IN) / (OUT)	Class I / Class II	I/I	
Max. input consumption	W	2300	
Max. current	A	10	
Compressor	Model	KSN98D64UFZ3	
	Type	Rotary	
	Brand	GMCC	
Indoor	Indoor Air Circulation	m³/h	520
	Indoor Noise Level dB	dB(A)	39.0/30.0/24.0
	Net Dimension	mm	802x200x295
	Packing Dimension	mm	875x285x380
	Net Weight/Gross Weight	Kg	8.7/11.3
Outdoor	Outdoor Noise Level dB	dB(A)	58
	Net Dimension	mm	765x303x555
	Packing Dimension	mm	887x337x610
	Net Weight/Gross Weight	Kg	29.6/32.0
	Refrigerant type		R32
	Refrigerant weight	Kg	0.7
	GWP		675
	tCO ₂ eq.		0,47
Max. Discharge/Max. Suction pressure	Mpa	4.3/1.7	
Refrigerant piping	Liquid side/ Gas side/Length	mm	Dg4/Dg8 (1/4-3/8)
	Max. refrigerant pipe length/ Max. difference in level	m	25/10